

# 2014 NEW PRODUCTS

© 2014 Gruppo Rem

**san marco**

SISTEMI VERNICIANTI PER L'EDILIZIA

Colorificio San Marco SpA  
Via Alta 10 - 30020 Marcon (VE) - Italy  
Tel +39 041 4569322  
Fax +39 041 5950153

Follow us on:

 [facebook.com/sanmarcospa](https://facebook.com/sanmarcospa)  
 [twitter.com/sanmarcospa](https://twitter.com/sanmarcospa)  
 [pinterest.com/sanmarcospa](https://pinterest.com/sanmarcospa)  
 [youtube.com/marketing-sanmarco](https://youtube.com/marketing-sanmarco)



GET MORE DETAILS

[www.san-marco.com](http://www.san-marco.com)  
[info@san-marco.it](mailto:info@san-marco.it)  
[export@san-marco.it](mailto:export@san-marco.it)



**san marco**  
SISTEMI VERNICIANTI PER L'EDILIZIA

# GUAMARC TT 100



GET MORE DETAILS



## Waterproofing liquid membrane for outdoor use.

One-component colored sheath waterproofing for outdoor. Practical use, ready to be used, it creates a continuous and waterproofing membrane, resistant to UV, atmospheric agents and stagnant water. Excellent adhesion, high elasticity, able to resist to any expansion of the substrate, it is suitable for horizontal surfaces, inclined or vertical such as flat roofs, old bituminous surfaces, terraces, balconies and cornices.

**Indicative spreading rate:** 1.3-1.5 kg/sq.m on concrete - 0.8-1 kg/sq.m on bituminous surfaces.

**No. of coats:** 1.

**Tools:** brush, long-hair roller, airless.

**Dilution:** ready to use.

Available: 0019 white, 0449 red ref. Shade 121R, 0428 grey ref. Shade 159B.

Pack: 4 e 14 liters.

**Renovate and protect with GUAMARC TT100,  
water-based product formulated for practical  
and easy maintenance of concrete roofs  
and terraces, fibered cement, bituminous  
membrane, cementitious screeds.**



Speciality Range

# PATINA



GET MORE DETAILS



## Water based decorative wax for lime based mineral decorative finishes for interiors.

It reinterprets the decorative choices by adding a distinctive sign: higher brightness and soft pearliness depending on the color applied. It enhances the decoration and provides a slight superficial water-repellency. Easy to apply, ready to use, fast drying, suitable for manual or mechanical polishing.

**Indicative spreading rate:** it may vary, 20 sq.m/l approx.

**No. of coats:** 1.

**Tools:** steel trowel and woolen cloth or fabric.

**Dilution:** ready to use.

Available: 0001 neutral; 0070 silver; 0150 bronze; 0190 gold.

Pack: 1 liter.



Speciality for decorative  
Tuttorestauro Range

# 4PROTECTION



GET MORE DETAILS



## Decorative protective for indoor use.

It realizes surfaces properly decorated and protected and improves resistance to everyday practices, cleaning and washing. Low dirt retention, it reduces the formation of mold and algae. Ideal for bathrooms and kitchens.

**Indicative spreading rate:** max 15 sq.m/1 per coat.

**No. of coats:** 1-2.

**Tools:** brush, woolen cloth or fabric.

**Dilution:** ready to use.

Available: 0001 neutral.

Pack: 1 liter.

**It may be applied on: synthetic and mineral decorative finishes, water-based wall paints, natural stone, limestone, marble, natural stone or reconstructed, brick and concrete beams.**



**Speciality for decorative  
Dettagli D'Arte Range**

# MARCOPOLO LUXURY



GET MORE DETAILS



## Decorative finish for indoor use. Refined metallic thin texture.

MARCOPOLO LUXURY realizes prestigious surfaces with an extraordinary thin metallic effect, for pleasant and charming environments both classic and by a modern design. With a great ease of application can be obtained many aesthetic effects, plays of light and reflections able to satisfy any aesthetic requirement.

**Indicative spreading rate:** 4-6 sq.m/l.

**No. of coats:** 1.

**Tools:** brush, sponge.

**Dilution:** ready to use; 5% max with water.

Available: silver, aluminium and gold.

Pack: 1 and 4 liters.

**The products MARCOPOLO are distinguished by the speed and the ease of the application phases: MARCOPOLO LUXURY realizes various decorative solutions according to the color combinations and the skill of the decorator.**

**MARCOPOLO LUXURY was born to unleash creativity, for an extra touch of brilliance and elegance.**



Dettagli D'Arte Range

# MARCONOL ORIENTALITE RAPID



GET MORE DETAILS



## Thixotropic base coat fast drying for wood.

MARCONOL ORIENTALITE RAPID realizes perfect homogeneous surfaces, ideal for quality finishes. Excellent filling power, easy to apply and with good expansion. Easy to sand, it provides a solid anchor to the finishing product. Anti-drip properties, it facilitates the application overhead (ceiling, beams) or in difficult positions.

**Indicative spreading rate:** 6-8 sq.m/l per coat.

**No. of coats:** 1-2.

**Tools:** brush, roller.

**Dilution:** ready to use.

Available: 0019 white.

Pack: 1 and 2.5 liters.

**Marconol Range: reliable technical solution for the protection and decoration of wood with products featuring performances of high aesthetic level. Easy and fast application.**



**Marconol Range**

# MARCOFIX



GET MORE DETAILS



## Solvent-based pigmented wall fixative for outdoor.

Covering insulator suitable for the impregnation and consolidation of outdoor wall surfaces, which can be colored by tinting machine. Ideal to realize works in intense shades.

Threefold function:

- Insulating power
- Consolidating action
- Better coverage

**Indicative spreading rate:** 9-11 sq.m/l.

**No. of coats:** 1.

**Tools:** brush, roller and spray.

**Dilution:** 20-50%.

Available: 0001 white.

Pack: 4 and 16 liters.

**Easy to apply, it penetrates and consolidates providing coverage and matt appearance**  
**MARCOFIX is the professional solution to quickly realize thickness coatings and tinted paints, even in intense shades.**



**Fixatives Range**

# ACRISYL FONDO FINITURA



GET MORE DETAILS



## Acrylic-siloxanic outdoor leveling filler finishing anti-mold and anti-algae.

High filling power, it realizes in two coats homogeneous aesthetic finishes also on surfaces with imperfections, patches or on surfaces where previously have been removed old coatings or paints. Good water repellency and vapor permeability, it preserves the formation of mold and algae.

**Indicative spreading rate:** 5-7 sq.m/l per coat.

**No. of coats:** 2.

**Tools:** brush, roller.

**Dilution:** 20-30% with water.

Available: 0019 white, 0062 transparent base.

Pack: 1 and 15 liters.

The composition based on high technology resins allows to realize the finish in two coats also on surfaces with imperfections.

**The paints that features at the same time  
properties of base coat and finishing product.**



Acrysil System

**san  
marco**  
SISTEMI VERNICIANTI PER L'EDILIZIA